Docket No.; CPC-10003/22

## AMENDMENTS TO THE CLAIMS

- 1-18 (Canceled)
- 19. (Currently amended) A method for reducing pain sensation, the method comprising the steps of:

applying a therapeutically effective amount of an anhydrous gel anesthetic formulation according to claim 1 consisting of:

in an anhydrous mixture at least one anesthetic compound selected from the group consisting of procaine, lidocaine and tetracaine;

a skin penetration enhancer;

a gelling agent with an optional ingredient selected from the group consisting of:

preservative, fragrance, buffer, and an emollient; and

an optional therapeutic agent is selected from the group consisting of: analgesics, anxiolytic compounds, antiarrhythmics, antibacterials, antibiotics, anticoagulants, anticonvulsants, antifungals, antihistamines, anti-inflammatories, antivirals, bronchodilators, calcium channel blockers, cytotoxics and anticancer agents, cytokines, growth factors, immunosuppressives, muscle relaxants, psychotherapeutics, sympathomimetics, vasodilators, and vitamins;

to the area of an individual's skin to be anesthetized; and

allowing the gel anesthetic to remain in contact with the area for a period of time sufficient to reduce pain sensation.

3 Docket No.: CPC-10003/22 Reply to Office Action of December 15, 2006

20. (Currently amended) The method of claim 19 further A method for reducing pain sensation comprising the step of: applying a therapeutically effective amount of an anesthetic formulation consisting of:

in an anhydrous mixture at least one anesthetic compound selected from the group consisting of procaine, lidocaine and tetracaine;

a skin penetration enhancer comprising benzyl alcohol:

a volatile co-solvent;

with an optional ingredient selected from the group consisting of: preservative, fragrance, buffer, and an emollient; and an optional therapeutic agent is selected from the group consisting of: analgesics, anxiolytic compounds, antiarrhythmics, antibacterials, antibiotics, anticoagulants, anticonvulsants, antifungals, antihistamines, anti-inflammatories, antivirals, bronchodilators, calcium channel blockers, cytotoxics and anticancer agents, cytokines, growth factors, immunosuppressives, muscle relaxants, psychotherapeutics, sympathomimetics, vasodilators, and vitamins;

comprising a topical anesthetic compound, a skin penetration-enhancer and a volatile co-solvent. to the area to be anesthetized.

21-23 (Canceled)

24. (Currently amended) A method of local anesthesia comprising the step of applying to intact skin or oral mucosa the formula of claim 1 a topical anesthetic consisting of:

in an anhydrous mixture at least one anesthetic compound selected from the group consisting of procaine, lidocaine, tetracaine:

a skin penetration enhancer:

a gelling agent with an optional ingredient selected from the group consisting of:

preservative, fragrance, buffer, and an emollient; and

4

an optional therapeutic agent is selected from the group consisting of: analgesics, anxiolytic compounds, antiarrhythmics, antibacterials, antibiotics, anticoagulants, anticonvulsants, antifungals, antihistamines, anti-inflammatories, antivirals, bronchodilators, calcium channel blockers, cytotoxics and anticancer agents, cytokines, growth factors, immunosuppressives, muscle relaxants, psychotherapeutics, sympathomimetics, vasodilators, and vitamins.

- 25. (New) The formulation of claim 19, wherein lidocaine is present from 0.5-6 total weight percent.
- 26. (New) The formulation of claim 19, wherein said skin penetration enhancer is present from 25 to 45 total weight percent.
- 27. (New) The formulation of claim 19 wherein the gelling agent is a cellulosic polymer.
  - 28. (New) The formulation of claim 19 wherein the therapeutic agent is an anti-itch.
- 29. (New) The formulation of claim 24, wherein lidocaine is present from 0.5-6 total weight percent.

30. (New) The formulation of claim 24, wherein said skin penetration enhancer is present from 25 to 45 total weight percent.

5